Curbing the menace of building collapse in Nigeria

Michael O. Ajufoh¹, W. A Gumau¹, Yaktor Joshua Inusa²

¹Department of Architecture, Federal Polytechnic, Bauchi, Bauchi State, Nigeria

²Department of Architecture, University of Jos, Jos, Plateau State, Nigeria

ABSTRACT

Marcus Vitruvius polio, the Roman writer, Architect and Engineer, was famous for asserting in his book *De Architectura* that a structure must exhibit the three qualities of *firmitas*, *utilitas* and *venustas* – that is, it must be strong or durable, useful and beautiful. Hugo Alvar Aalto the Finnish Architect and designer, argued that the responsible designer/Architect must “do no harm” on the end users of such a building nor provide environments unsuitable for their use. Part of the federal Government of Nigeria’s transformation agenda is the *provision of quality and affordable infrastructure* through Housing and Urban Development. But the spate of collapsed buildings in the country has reached an alarming rate. The incessant cases are enough reasons to declare a state of emergency in the construction industry. A building collapse could be a total or partial failure of one or more components of a building leading to the inability of the building to perform its principle function of safety and stability. In an attempt to find a solution to this menace, this paper therefore tries to examine some of the major causes of building collapse and tries to proffer remedial measures that may curb its devastating effects. The paper also briefly outlines its implications on real estate investment and also briefly tries to advice on procedures for rescuing people from collapsed buildings.

Keywords: real estate investment; urban development; Marcus Vitruvius; Hugo Alvar Aalto

Preamble

“The Federal Government has said that the success of its transformation agenda depends on infrastructure development. It added that though it has three other priorities in the next five years, including good governance, human capital and real sector development, premium is placed on infrastructure projects funding to impact positively on the realisation of the other priorities” (Chuka Uroko, Bussinesday, Friday, 15 March 2013).

1. INTRODUCTION

The pursuit of shelter for all mankind and his activities has always been a paramount issue. Buildings are constructed to serve as shelter for man, his properties and other activities therefore they must be properly planned, designed and erected to obtain desired satisfaction from the environment, (Ayuba, 2007; Olagunju, 2007; Akande, 2007).

However, recent events in places like Abuja, Lagos, Port Harcourt, Enugu, Aba, and other places in the country have seen these buildings as a growing cause of death, loss of property, and has left many people injured, (Ayuba, 2007).

In just 2005, more than 10 buildings collapsed in Lagos and Port Harcourt alone, not to mention those in Abuja, Kaduna and other places not publicized, (Agba, 2005; Awojobi,

2005; Salau, 2005; Sanni, 2005). These buildings either collapsed at construction stage or after habitation (during the building life span), but studies have shown that some buildings in Nigeria collapses during construction stage, (Sanni 2005).

However, it is very important to note that buildings collapse due to a variety of reasons such as bad design, faulty construction, foundation failures, and extra ordinary loads, (Calvert, 2007; Onyemachi, et al, 2005). Earthquakes, hurricanes, tornadoes, floods, avalanches and other weather phenomenon have shown a far greater capacity for destruction, than society has for building structures that will withstand the weather or earth disruptions, (Haruna, 2007). So inasmuch as weather has a role to play as a natural cause for collapsed structures, the September 11th shocker on the twin towers in New York City can be termed as a man-made destructive force. In ensuring qualitative housing and urban development, the federal government will do well by ensuring that the menace of collapsed buildings is completely dealt with, or it will simply be providing death traps for its citizens.

2. CASE STUDIES FROM AROUND THE COUNTRY

Building collapse is not peculiar to a state or region alone it's a common problem encountered all over the world. In Nigeria it is widespread in all major cities. It is, however, predominant in the south west and Lagos in particular.

"Lagos is worst hit. Barely seven months into the year, not less than 15 cases of building collapse had been recorded with about 30 lives lost and properties worth billions of naira lost. Scores are also rendered homeless each time a case of a collapsed building is recorded. The recent incident recorded in Lagos, penultimate Sunday, coming barely two weeks after a similar occurrence claimed eight lives in Ebutte Metta area of the state, was perhaps one collapse too many" (Daily Independent, Tuesday 5th of November 2013).

Cases of building collapse are not restricted by climatology or level of urbanization as they cut across cultural and ethnical barriers. Many cases of building collapse have been reported in Nigeria. For instance, Folagbade (2001) and Chinwokwo (2000) enumerated forty-two (42) cases of building collapse as occurring between 1980 and 1999 in Nigeria while Makinde (2007) listed fifty-four (54) cases occurring between January 2000 and June 2007 alone. Building collapse has also been observed to cut across the different categories of building – private, corporate or public. Folagbade (2001) showed that of the twenty-five (25) reported cases of building collapse between 1980 and 1999 in Lagos State, private (76 %), corporate (12 %) and government or public buildings (12 %) accounted for these proportions. Also, building collapse is no respecter of size of the structure. Amusan (1991) reported that Barnawa flat disaster in 1977 was a three-storey building, a public building (Secondary School) which collapsed in March 1988 at Ibadan was two-storey building, and the collapsed show-room for cars in Lagos in 1987 was just a storey building while that of the Primary School in Iloabuchi, River State in July 1991 was a bungalow building.

Table 1. Some of the Reported Cases of Collapsed Buildings in Nigeria (1974-2010).

S/N	TYPE OF BUILDING STRUCTURE	LOCATION OF BUILDING	DATE OF COLLAPSE	SUSPECTED CAUSE(S)	REMARKS (LIVES LOST)
1.	Multi-storey Building under construction	Mokola, Ibadan, Oyo State	October 1974	Excessive loading/structural failure	27 people
2.	Partial collapse of an Hostel Building	O.A.U., Ile-ife	1976 (1975/76 Academic Session)	Structural Failure	Nil
3.	Residential Building	Barnawa housing Estate, Kaduna, State	August 1977	Faulty design	28 people
4.	School Building	Government Secondary school, makarfi, Kaduna State	July 1977	Carelessness	7 people
5.	3-Storey Residential Building	Barnawa Housing Estate Kaduna	1980	Faulty Structural design	6 people
6.	Storey Residential Building	Allen Avenue, Ikeja Lagos	January 1985	Excessive Loading	Nil
7.	Residential Building	Adeniji Adele, Lagos	February 1985	Excessive Loading	2 people
8.	Residential Building	Ojuelegba Area, Lagos	May 18, 1985	Rainstorm	Nil
9.	Residential Building (Uncompleted 4 Storey Building)	Iponri, Lagos	May 20, 1985	Structural Failure	13 people
10.	Residential Building	Victoria Island, Lagos	July 18, 1985	Excessive Loading	13 people (all of the same family)
11.	Residential Building	Gboko, Benue State	September, 1985	Carelessness	1 person
12.	Residential Building	Allen Avenue	1985	Carelessness	Nil
13.	Residential Building	Adeniji Adele, Lagos	1985	Faulty design/ Carelessness	2 people

14.	High Court Building	Isala Area, Imo State	February 1986	Structural Failure	2 people
15.	Mosque Building	Oshogbo, Osun State	May, 1986	Structural Failure	2 people
16.	Residential Building	Ona Street Enugu, Enugu State	1986	No Investigation	2 people
17.	2-Storey Building under construction	Agege, Lagos	May 9, 1987	Structural Fault	2 people
18.	Residential Building	Idusagbe Lane, Idumota Lagos	September 14, 1987	No Structural Design	17 people
19.	Commercial Building	Ikorodu Road, Lagos	September 1987	Rainstorm	4 people
20.	Residential Building	Calabar, Cross River State	October 9, 1987	Rainstorm	3 people
21.	6-storey Hotel Building	Akinwunmi street, Mende Village, Lagos	October 1989	Faulty design	Nil
22.	Bungalow School Building	Port Harcourt, Rivers State	June 15, 1990	Ignorance of the owner and absence of structural design	Nil
23.	6-storey Hotel Complex	Okupe Estate Maryland, Lagos	1993	Structural Failure	Not Known
24.	Multi-purpose Indoor Sports Complex Storey	Area 10, Abuja	March 1993	Structural failure/Poor workmanship	Not reported
25.	Multi-storey Building NICON-NOGA Staff Housing Project	Karo, Abuja	March 25, 1993	Structural failure/use of incompetent people for Supervision	Not reported
26.	A Mosque Building under construction	Abeokuta Ogun State	1995	Structural failure/use of incompetent people for Supervision	2 people
27.	Storey Building (under construction)	Central Lagos	October 5, 1995	Poor workmanship/structural failure	10 people
28.	3-storey Church Building	Lagos	October 30, 1995	Structural failure	6 people
29.	School Building	Alagbado Area, Ibadan Oyo State	October 1995	Poor workmanship	Nil
30.	3-Storey Building	Oke Iguala Area, Ibadan Oyo State	October 1995	Structural failure	6 people
31.	1-storey Building under construction but being used as church (Earlier approved as a bungalow)	Olowookere street, Mafoluku, Oshodi, Lagos	June 1996	Structural Weakness	7 people
32.	Storey Building under construction	Lagos State	March 13, 1996	Structural failure	People only injured

33.	6-Storey Building under construction (being used as Nursery/Primary School)	Lagos State	October, 1996	Use of quacks/Structural Failure	1 person
34.	2-Storey Building	Amu Street, Mushin, Lagos	June, 1997	Use of poor materials/structural failure	Nil
35.	Duplex Building	Gwarinpa Area, FCT, Abuja	1998	Structural failure	2 people
36.	3-Storey Residential Building	Ibadan, Oyo State	1998	Faulty, Design/Poor workmanship	Several people
37.	4-Storey Church Building (under construction)	Akure, Ondo State	October 1, 1998	Structural failure/Poor Supervision	8 People
38.	2-Storey Residential Building	Rd 3, Plot 10, Funbi Fagun Street, Abeokuta, Ogun State	November, 1998	Use of poor materials/structural failure	Nil
39.	3-Storey Residential Building	Ojuelegba, Western Avenue, Surulere, Lagos State	1999	Carelessness/use of poor materials	4 people
40.	1-Storey Residential	Adeola Odeku Street, Victoria Island, Lagos	1999	Rainstorm	Not reported
41.	3-Storey Residential Building	Charity Road, Oko-Oba, Lagos	June 1999	Structural failure	Nil
42.	3-Storey Residential	Four-square Gospel Church Abuja	October, 1999	Faulty design/Implementation	Not Available
43.	1-Storey Residential Building	Obawole street, Iju, Agege, Lagos	October, 1999	Structural failure	Nil
44.	3-Storey Residential Building	Iju-Isaga, Lagos	August, 1999	Structural Faulty/Rainstorm	35 people
45.	2-Storey Residential Building	Dawodu street, Ifo, Ogun State	October, 1999	Rainstorm	20 people
46.	Residential Storey Building	Idi-Oro, Mushin, Lagos	2000	Faulty Design/Carelessness	Not Available
47.	Estate Building	Ajah, Along Lekki Road, Lagos	April, 2000	Structural Failure	Nil
48.	2-Storey Mosque Building	21, Buhari Street Mushin, Lagos	April 2001	Unauthorized Conversion of former Bungalow to 2-Storey Building	7 people
49.	1-Storey Residential Building (under construction)	Iwoye-Ijesa, Osun State	2001	Structural failure/ use of quacks for supervision	7 people
50.	Multi-storey Commercial Residential Building	Ebute-Meta, Lagos	2007	Unauthorized conversion/poor supervision/use of quality materials	Several people

51.	Multi-Storey Building	Kano	2007	Faulty design/structural failure	Several people
52.	A Building being used as Nursery/Primary School	Olomi Area Ibadan, Oyo State	March 25, 2008	Use of poor materials carelessness	13 pupils
53.	5-Storey Shopping Complex Building under construction	Wuse Area, Abuja	2 nd August, 2008	Structural failure incompetency/bad workmanship	2 people injured and 100 people trapped.
54.	2-Storey Residential Building under construction	Asero Area, Abeokuta Ogun State	30 th August 2008	Contravening the given planning Approval, use of substandard materials incompetency, etc.	2 people
55.	6-Storey LAUTECH Teaching Hospital Complex under construction	Ogbomoso, Oyo State	19 th February, 2009	Use of substandard materials, poor workmanship/supervision	5 people
56	A wall fence	Aghaji crescent, GRA, Enugu	10 th August, 2009	No proper drainage	1 person
57	Uncompleted Building	Oke Padre Street, Ita-morin, Abeokuta	18 th October, 2009	Use of substandard materials, hasty construction	3 people, 11 injured
58	Building under Construction	Isopakodowo Street Cairo, Oshodi, Lagos	26 th April, 2010	Use of Substandard building materials	4 people, 12 injured
59	Uncompleted Storey building	Adenike Street off New market, Oniru Estate, VI	2 nd June, 2010	Use of Substandard building materials, Non-compliance of house-owners and developers with approved building plan and weak structure	1 person, 2 injured
60	Uncompleted 4-Storey Building	2 Okolie Street, off Gimbiya Street in Abuja.	11 th August, 2010	Substandard materials and disregard for building regulations	23 people, 11 injured
61	4 Storey Building	24 Alli Street off Tinubu Street, V. I.	28 th September, 2010	Structural Defects/overloading	3 people

Source: F. I. Olabosipo and O. O. Adedamola, 2010.

Folagbade (2001) also reports that the Abuja building which collapsed in March, 1993 and the one at Ojuelegba in 1999 were both multi-storey buildings. The memory of the incidents of two separate building collapses that occurred at Ebute-Meta area of Lagos State and Kano State which killed several people in 2007 still lingers on. Also reported was the fence of a Nursery and Primary School that collapsed at Olomi area, Ibadan, in March, 2008, thereby killing thirteen (13) pupils of the School. The death of over 50 students of Saque Comprehensive College, Port Harcourt in 1990 was as a result of the owner attempting to construct additional floors on structurally unsafe walling. Similar trends of conversion were observed in a collapsed Mosque building in Mushin area, Lagos in 2001 and multi-storey commercial/residential building in Ebute-Meta also in Lagos state in which several people were killed. Some of the cases of building collapse are also as a result of ignorance on the

part of developers and unauthorized conversion of buildings. Amusan (1991) asserts that the 1988 building collapse at Mushin, Lagos occurred when an attempt was made to raise the existing building by another floor. Also, operational conversion caused the collapsed school building at PortHarcourt. Fagbenle and Oluwunmi (2010).

Nigerian Building Collapses In 2011

STATE	Date	Storeys	Location	Deaths	Injuries	Constuction Ongoing/Old
Enugu	April/May 2011	Up to 4	Three (3) locations	-		Ongoing
Sokoto	20/6/11	Mud wall	Sokoto Wall	2		Old
Abuja Outskirt	29/6/11	2	Mararaba Bank	2		Ongoing
Abuja	19/8/11	3	Mpape Hospital	2		Ongoing
Oyo	2/7/11		Ibadan			
Anambra	5/8/11	2	Awka Residential		17	Ongoing
Lagos	13/3/11	5	Ikeja Hotel		1	Ongoing
	5/7/11	4	Idumota Residential	5		Old
	15/7/11	2	Ketu Residential	2		Ongoing
	20/6/11	3	Island cold-room			New
	7/10/11	3	Ajao Estate	-		Ongoing
	20/8/11	3	Lagos Isl		4	
	26/8/11	6	Aderigbe str	-		Old
	26/10/11	6	Maryland	-		Old
	29/11/11		Ikeja	-		Old
	5/12/11		Badagry School	-	3	Old

Source; Danladi Matawal, 2013.

3. CAUSES OF BUILDING COLLAPSE

In Nigeria building failures have been traced to the root causes which includes;

- Design faults – 50 %
- Faults on construction site – 40 %
- And product failure – 10 %

(Oyewande, 1982; Ayininuola and Olalusi, 2004)

Hall, (1984), agreed and equally ascribed faulty design, faulty execution of work and use of faulty materials to be major causes of building collapse. Causes can then generally be classified under six major factors;

1. Bad design: these include architectural designs and other professional inputs. Starting a design without proper feasibility studies, soil tests and analysis etc. Also, inadequate or poor design details, poor supervision, substandard materials specification and faulty or lack of schedules.it also includes errors of computations, use of inaccurate data etc.
2. Faulty construction: studies have revealed that faulty construction contributes up to 40% to structural failures in building collapse occurrences. These may arise due to failure of contractors to build according to the plans and specification or also due to

poor mixing and placement of concrete. it may also include unstable bearing support for formwork or early removal.

3. Poor quality of materials and construction methods: the use of inferior materials probably has a 10 % causative effect on the collapse of buildings (Oyewande 1992). Most block industries in Nigeria prefer profit to safety hence the precarious desire to mould as many blocks as possible from a single bag of cement. in some other cases you find out that most contractors prefer to use substandard steel for reinforcements.
4. Fire outbreak: today most of the available building materials in the developing countries are not only flammable but also encouraging the spread of fire (Adedoyin, 1983, Olagunju, 2002). This is the reason why a little fire ignition spreads very fast into large scale fire development in buildings. When the fire is blown out it weakens the structures reinforcements and concrete. It becomes even worse when the steel reinforcements are exposed directly to the fire, they may fail in the process to provide the necessary support for both the live and dead loads. In the event it may lead to partial or total collapse of the building. It makes it very important then to use materials with high fire resistant characteristics for building constructions. Also professionals should be conscious of this and apply the right specifications to them.
5. Natural phenomena: this includes the occurrence of floods, storm, exceptionally high wind or hurricane (Katrina, Ike, Gustav, Anna, Norbert, etc.), thunder, lightning, volcanic eruption and also earthquakes. These are factors that greatly affect building collapse, though most of them cannot be related to the Nigerian experience.

4. REMEDIAL MEASURES

- a. Soil tests, Environmental impact assessment (EIA) and structural analysis needs to be made mandatory to be submitted along with the building plans to planning authorities by building approval seekers.
- b. All plan for approval must be made to pass through all the registered professionals associated with the building industry before its final approval.
- c. All plans for approval must be ensured to be in compliance with the new building code and all the affected local government's bye laws.
- d. Inspection teams must be made to regularly inspect all construction works in their locality with the aim of enforcing the building code and local bye laws.
- e. All professional bodies related to the construction industry should embark on enlightenment campaigns jointly for their members and also the public so as to create awareness on the evils and risks involved in the use of unqualified hands or better known as quacks.

5. IMPLICATIONS ON REAL ESTATE

The implication of building collapse on real estate investments are numerous. The effects are felt in virtually all sectors of human endeavour in particular as it affects real estate investment are as follows;

1. Cost in real terms
2. Cost in relation to materials
3. Loss of human lives
4. Loss of capital invested in the property
5. Loss in rents return /profits etc.

6. Loss of interest on capital used for investing in the property;
7. Depreciation of value in the property
8. Loss of title to land.

6. RESCUE FROM COLLAPSED BUILDINGS

As many as one third of all building collapse victims, that are rescued, are found in spaces created by the way that building materials generally fall (Staten 2007; Mendis, 2007). Most of the collapse configurations that occur create voids in which people may be trapped and remain alive.

Most rescue experts agree that building collapse extrication must be a process of vertical removal, rather than horizontal movement or reduction. The safest way to remove debris from someone that is buried should involve carefully lifting the debris from above the victim and continually shoring the sides of the entrance hole or excavation to ensure against additional collapse.

In the case of building collapses, the magnitude of the shoring efforts and the type of equipment necessary to perform the rescue may be very different from the normal extrication. In order to facilitate vertical removal of debris, it may be essential to quickly locate and utilize various types of cranes and other types of overhead lift capabilities.

It is strongly suggested that every rescue system have previous knowledge of and training for the use of heavy construction equipment. Emergency dispatchers should have access to a list of construction companies and other businesses that could provide this type of equipment on a 24 hour a day – seven days a week basis.

7. CONCLUSION

Government's failure to implement reports and the sanctions recommended on collapsed buildings has been blamed for the growing rate of building collapses in the country. Since the first cases of building collapse was recorded up until the latest one in Lagos, no single individual or group has been indicted in any of them. If the government is serious and not actually playing lip service, to its transformation agenda, it must provide and ensure that the private sector also provides safe structures for people to dwell in.

Recommendations

1. The government at all levels should evolve the right policy framework for transformative urban development especially with regards to quality control at the construction stages of buildings.
2. More awareness campaigns should be carried out by the three tiers of government and their agencies on the need for compliance with the appropriate building regulations (e.g. among contractors, professionals, stakeholders and the general public) and the danger associated with their non-compliance/evasion.
3. The town planning authorities should maintain competent professionals in the relevant areas for design approval and from a long term perspective, provide the necessary training moreover; there should be regular monitoring visits to all the construction sites with a view to ensuring compliance with the approved building plans.
4. More attention should be focused towards the private or informal sector, with a view to curbing their excesses.

5. Policy makers in the country should be less suspicious of professional advice as such advices are based on predetermined principles and deviation which may result in predictable consequence in the near future.
6. There is a need to for further awareness-raising on the dangers in patronizing incompetent people for construction activities.
7. Government should be ready to tackle the problem of building neglect in the form of legislation, enforcement, support and assistance, publicity and education.
8. Stiffer penalties (such as jail or death sentence) should be placed on owners of collapsed buildings and the project handlers in the country, especially where loss of lives is involved. It will serve as a deterrent to the practices of carefree developers in the country.

References

- [1] Ayuba P., Olagunju R.E, and Akande O.K, (2007). Collapse of Buildings in Nigeria: The role of professionals and other participants in the building industry. The 1st National Conference of the School of Environmental Technology (SET) 28th February – 2nd March, 2007.
- [2] Baum A. and Crosby, N. (1998). Property investment appraisal, London, routledge.
- [3] Chinwokwu, G. (2000). the role of professionals in averting collapse. Proceedings of a 2 day seminar of the Nigerian institute of building (Lagos state chapter) on building collapse, causes, preventing & remedies, Lagos airport hotel, Ikeja, Lagos, 3rd – 4th may.
- [4] Haruna P.B. (2007). Building collapse and rescue operation: a guide towards effective performance of search and rescue operations in building collapse. The 1st National Conference of the School of Environmental Technology (SET) 28th February – 2nd March, 2007.
- [5] Jolaoso, B.A (accepted for publication 2004). Preventing incidences of collapse buildings in Nigeia. *Journal of the Environmental technology*, Federal University of Technology, Akure.
- [6] Onyemachi T., Uji Z., *Journal of the association of architectural educators in Nigeria* 4(1) (2005) 57-63.
- [7] Olagunju R. E. O., *Journal of science, technology and mathematics* 5(1) (2002).
- [8] Olabosipo F. I., Adedamola O. O., *Journal of sustainable development* 3(4) (2010) 268-277.
- [9] Adebayo, S. O. (2000). Improving Building Techniques, Proceedings of a Workshop on Building Collapse: Causes, Prevention and Remedies. The Nigerian Institute of Building, Lagos State Chapter, April.
- [10] Ademoroti, G. (1991). Minimizing the Collapse of Buildings in Lagos State. Proceedings of the National Seminar on effective Contract Management in Construction Industry, Nigerian Institute of Building, 22-23 August, pp. 174-187.
- [11] Amusan, J. O. (1991). Strategies for Enhancing the Local Governments Roles in Minimizing the Collapse of Buildings. Proceedings of the National Conference on Effective Contract Management in the Construction Industry. Nigerian Institute of Building, 22-23 August, pp. 188-200.

-
- [12] Badejo, E. (2009). Engineers, Others Urge Multi-Disciplinary Approach to Curb Building Collapse, The Guardian Newspaper, 13 July, pp 15-17.
 - [13] Chinwokwu, G. (2000). The Role of Professionals In Averting Building Collapse, Proceedings of a Seminar on Building Collapse in Nigeria. The Nigerian Institute of Building, Lagos, pp. 12-28.
 - [14] Dare, S. (2001). Building Design, Buildability and Site Production. Proceedings of a Workshop on Building Collapse: Causes, Prevention and Remedies, The Nigerian Institute of Building, Ondo State, 23-24 October.
 - [15] Fadamiro J. A., *Journal of Sustainable Development* 3(4) (2001).
 - [16] Folagbade, S. O. (2001). Case Studies of Building Collapse In Nigeria. Proceedings of a Workshop on Building Collapse, Causes, Prevention and Remedies, The Nigerian Institute of Building, Ondo State Chapter, 23-24 October.
 - [17] Honby, A.S. (2000). Oxford Advanced learner's Dictionary. Oxford University Press, 6th Ed. p. 952.
 - [18] Makinde, F. A. (2007). Minimizing the Collapse of Building in Nigeria. Seminar Paper, Faculty of Environmental Studies, Osun State College of Technology, Esa-Oke, 20-21 August.
 - [19] Makinde, R. (1998). Building Collapse in Nigeria. A Workshop Paper on Building Collapse, Nigerian Institute of Building, Osun State Chapter, 22- 24 November.
 - [20] Uwakweh, B.O. (2000). Conceptual Framework for Motivating Construction workers in Developing Countries. Proceedings of the 2nd International Conference of the CIB Task Group on Construction in Developing Countries, Faculty of Engineering and Technology, University of Botswana, Botswana, 15-17 Nov., pp. 31-37.
 - [21] Ward, P.A (1979). Organizing and Proceedings in the Construction Industry, Plymouths MacDonald and Evans Ltd, pp. 135-137.

(Received 13 June 2014; accepted 20 July 2014)